according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

COLORS

 Item number/ Trade name
 458
 Print date
 01/20/2025

 Version/ Issue date:
 13 / 04/16/2021
 Page
 1 of

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Colour for candles

Item number/ Trade name 458

UFI EA81-Y0XD-Y004-SXS1

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use Coloration of hydrocarbons, waxes, oils and fats

1.3 Details of the supplier of the safety data sheet

Company/undertaking identification

Name bekro chemie GmbH & Co. KG

 Street/POB-No.: 1
 Industriestrasse 104

 City
 D-66802 Ueberherrn

 Phone #
 +49 6836 9198 0

 Telefax #
 +49 6836 9198 10

 E-mail
 info@bekro.de

1.4 Emergency telephone number

Name Bekro Chemie GmbH (Mo - Thu 8.00 - 16.30, Fr 8.00 - 14.30)

Phone # +49 6836 9198 0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Dam. 1; H318 Causes serious eye damage.

2.2 Label elements



Signal word Danger

Nature of Hazard GHS05 Corrosion

Hazard statements H318 Causes serious eye damage.

Safety precautions P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Hazard components for labelling

Basic Violet 11:1 - Kationischer Farbstoff Basic red 1:1 - Kationischer Farbstoff

Special provisions concerning the labelling of certain mixtures

2.3 Other hazards

--

SECTION 3: Composition/information on ingredients

3.1 Substances

Mixture of waxes, colouring agents and additives

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name 458 Print date 01/20/2025 Version/Issue date: 13 / 04/16/2021

Page **2** of

COLORS

3.2 Mixtures

Hazardous ingredients

Basic Violet 11:1 - Kationischer Farbstoff: 3 % - 9,99 %

CAS-Number: 73398-89-7

EINECS / ELINCS / NLP: 277-459-0

Classification:

Basic red 1:1 - Kationischer Farbstoff: 0,1 % - 0,99 %

CAS-Number: 3068-39-1

EINECS / ELINCS / NLP: 221-326-1

Classification:

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information If you feel unwell, seek medical advice.

In case of inhalation Move victim to fresh air. Seek medical aid in case of troubles.

In case of skin contact Thoroughly wash skin with soap and water.

After eye contact Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding

evelids apart. Seek medical attention if irritation persists.

After swallowing Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Seek

medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No data available

4.3 Indication of any immediate medical attention and special treatment needed

Information to physician No data available

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

 Item number/ Trade name
 458
 Print date
 01/20/2025

 Version/ Issue date:
 13 / 04/16/2021
 Page
 3 of

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide, water spray jet, extinguishing powder, foam.

Extinguishing media which must not be used for safety reasons

Full water jet

5.2 Special hazards arising from the substance or mixture

Possible combustion products Nitrogen oxides (NOx), carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment

for firefighters

Wear self-contained breathing apparatus.

Additional information Do not allow water used to extinguish fire to enter drains, ground or waterways.

Do not allow fire water to penetrate into surface or ground water. You have to dispose of contaminated extinguishing water according to the regulations of the

COLORS

authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not breathe dust. With the formation of dust, use a dust mask. Keep away from sources of ignition - No smoking. Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Do not allow to enter into ground-water, surface water or drains. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Take up spilled product with dustpan and brush. Avoid causing any dust. Industrial vacuum cleaner recommended to avoid causing dust. Clean soiled areas with a conventional household cleaner.

6.4 Reference to other sections

Personal protection equipment: see section 8, Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling Avoid contact with eyes and skin. When using do not eat, drink, smoke, sniff.

Make sure there is sufficient air exchange and / or that working rooms are air

suctioned. Avoid dust formation.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms Keep away from sources of ignition and heat. Store in a cool dry place. Store in

a well-ventilated place. Keep container tightly closed. Protect from direct

sunlight.

Storage class 11

7.3 Specific end use(s)

and containers

General use Coloration of hydrocarbons, waxes, oils and fats

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

No 2020/878 COLORS

 Item number/ Trade name
 458
 Print date
 01/20/2025

 Version/ Issue date:
 13 / 04/16/2021
 Page
 4 of 9

8.2 Exposure controls

Respiratory protection With correct and proper use, and under normal conditions, breathing protection

is not required. Provide good ventilation and/or an exhaust system in the work

area. Wear a dust mask, in case of excessive dust.

Hand protection Wear suitable gloves.- according to DIN-/EN-Norms EN 420, EN 388 and EN 374 Part

1,3

Eye protection Goggles according to EN 166.

Body protection Wear suitable protective clothing and shoes.

General protection and hygiene Keep away from food and drinks. When using do not eat, drink or smoke. Wash

measures hands before breaks and after work. Wash contaminated clothing prior to re-use.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form solid
Colour red violet
Odour characteristic
Important health, safety and environmental information

	min	max					
Melting point/freezing point	> 60 °C	ļ	į į				
Initial boiling point and boiling	> 130 °C	130 °C					
range							
Flammability							
Explosion limits							
Flash point/flash point range	> 150 °C	150 °C					
Ignition temperature							
PH							
Viscosity	0 mPa.s	0 mPa.s					
Solubility							
Partition coefficient:							
n-octanol/water							
Vapour pressure							
Density and/or relative density							
Relative vapour density							
Bulk density							
Flow time 4mm (DIN)							
Water solubility	Product is difficult to dissolve in water.						

9.2 Other information

Version/Issue date:

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Item number/ Trade name 458

13 / 04/16/2021

Dekro colors

> Print date 01/20/2025 Page 5 of

SECTION 10: Stability and reactivity

10.1 Reactivity Non-reactive

10.2 Chemical stability Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid Avoid dust formation. Avoid dust deposits. Keep away from sources of ignition -

No smoking. Take precautionary measures against static discharges.

10.5 Incompatible materials strong acids and bases, strong oxidizing agents

10.6 Hazardous decomposition products Hazardous vapours may form during fires. In case of fire may be liberated:

Nitrogen oxides (NOx), carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

General remarks

No toxicological tests were conducted with the mixture.

Toxicological tests: components

Basic Violet 11:1 - Kationischer Farbstoff

oral	LD50	50.0	mg/kg	OECD 423
Rat				
sensitization:			not sensitising	-
Eye irritation:			Not an irritant	OECD 437
In vitro eye test				
dermal	LD50	2000.0	mg/kg	OECD 402
Rat				
Acute oral toxicity	LD50	300.0	mg/kg	-
Rat				•
Reproductive toxicity	NOAEL(C	22.5	mg/kg	-
Rat	•			
In vitro mutagenicity/genotoxicity			negative	OECD 471 (Ames
Salmonella typhimurium				

Toxicological tests: components

Racic rod 1:1 - Kationischer Farhstoff

Basic red 1:1 - Kationischer Farbstoff				
oral	LD50	410.0	mg/kg	OECD 401
Rat				
inhalative	LC50		mg/L	OECD 403
Rat				
dermal	LD50	2500.0	mg/kg	OECD 404

Rat

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

 Item number/ Trade name
 458
 Print date
 01/20/2025

 Version/ Issue date:
 13 / 04/16/2021
 Page
 6 of
 9

COLORS

11.2 Information on other hazards

Endocrine disrupting properties No data available Further details No data available

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity No data available

12.2 Persistence and degradability

Evaluation text No data available
Degree of elimination No data available
Analytical method No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Recommendation Dispose of waste according to applicable legislation. Discharge into the

environment must be avoided.

Package

Recommendation Dispose of waste according to applicable legislation. Non-contaminated packages

may be recycled. Handle contaminated packages in the same way as the substance

itself.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

 Item number/ Trade name
 458
 Print date
 01/20/2025

 Version/ Issue date:
 13 / 04/16/2021
 Page
 7 of
 9

COLORS

SECTION 14: Transport information

14.1 UN number

ADR, IATA, IMDG UNnot regulated

14.2 UN proper shipping name

Product designation: ADR/RID --Proper shipping name: IATA-DGR --Proper shipping name: IMDG ---

14.3 Transport hazard class(es)

Class ADR/RID -Classification code -ADR/RID

Class IATA-DGR --Subrisk IATA-DGR --Class IMDG --Subrisk IMDG ---

14.4 Packing group

ADR, IATA, IMDG

No packaging for dangerous goods required

14.5 Environmental hazards

Marine Pollutant - IMDG ---EmS ---Stowage and segregation ----

14.6 Special precautions for user

14.7 Maritime transport in bulk according to IMO instruments

Additional information

EQ --Limited quantities --Special Provisions --Tunnel restriction --Transport category --Kemmler-number ---

No dangerous good in sense of these transport regulations.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

 Item number/ Trade name
 458
 Print date
 01/20/2025

 Version/ Issue date:
 13 / 04/16/2021
 Page
 8 of
 9

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Germany

Storage class 11

Water Hazard Class 1 schwach wassergefährdend

Incident regulation ---

Information on working limitations
No special measures are required.

15.2 Chemical Safety Assessment

Chemical Safety Assessment No substance safety evaluation was conducted with the mixture/ substance.





according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878



COLORS

 Item number/ Trade name
 458
 Print date
 01/20/2025

 Version/ Issue date:
 13 / 04/16/2021
 Page
 9 of

SECTION 16: Other information

Hazard statements (CLP)

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

--

Reason of change General revision

Abbreviations

--- no data, not determined or not applicable

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (Regulation (EC) No. 1907/2006)

OECD Organisation for Economic Co-operation and Development

LD50 Median lethal dose

LC50 Median lethal concentration EC50 Median effective dose

IC50 Median inhibitory concentration VCI Verband der chemischen Industrie

CAS Chemical Abstract Service

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

NLP No Longer Polymers

CLP Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging

EG European Union

WGK water hazard class (according to AwSV, Appendix 1 (5.2))

AGW Occupational Exposure Limit

ADR Accord Européen relatif au transport international des marchandises dangereuses par route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

RiD Règlement concernant le transport international ferroviaire des machandises dangereuses (Regulation on

the international carriage of dangerous goods by rail)

IATA International Air Transport Association IMDG International Martime Dangerous Goods

MARPOL International Convention for the Prevention of Pollution From Ships (MARine POLlution)

EmS Emergency Schedules

PBT persistent, bioaccumulative and toxic vPvB very persistent and very bioaccumulative